Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Accidents

Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).

Algorithms

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Water Distribution Systems Connectivity Analysis. — Avi Ostfeld; 131(1), 58-66 (2005).

Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

Self-Adaptive Penalty Approach Compared with Other Constraint-Handling Techniques for Pipeline Optimization. — Z. Y. Wu and T. Walski; 131(3), 181-92 (2005).

Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Alignment

Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Allocation

Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

Ammonia

Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Aqueducts

Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Aquifers

Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).

Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Artificial intelligence

Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Automation

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Best management practice

Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Biological treatment

Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).

Calibration

Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

California

Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).

Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Canals

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Case reports

Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

China

Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Chlorine

Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).

Classification

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Climatic changes

Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Colorado

Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Computation

Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).

Computer programming

Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Accidents

Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).

Algorithms

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Water Distribution Systems Connectivity Analysis. — Avi Ostfeld; 131(1), 58-66 (2005).

Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

Self-Adaptive Penalty Approach Compared with Other Constraint-Handling Techniques for Pipeline Optimization. — Z. Y. Wu and T. Walski; 131(3), 181-92 (2005).

Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Alignment

Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Allocation

Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

Ammonia

Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Aqueducts

Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Aquifers

Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).

Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Artificial intelligence

Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Automation

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Best management practice

Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Biological treatment

Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).

Calibration

Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

California

Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).

Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Canals

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Case reports

Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

China

Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Chlorine

Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).

Classification

Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Climatic changes

Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Colorado

Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Computation

Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).

Computer programming

Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Conflict resolution
Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Contaminants
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Contamination
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).

Control systems
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Corrosion
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).

Cost analysis
Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Cost control
Which Groundwater Remediation Objective is Better: A Realistic One or a Simple One? — Xiaolin Ren and Barbara Minsker; 131(5), 351-61 (2005).
Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Damping
Detection and Location of a Partial Blockage in a Pipeline Using Damping of Fluid Transients. — Xiao-Jian Wang, Martin F. Lambert, and Angus R. Simpson; 131(3), 244-9 (2005).

Decision making
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Decision support systems
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).
Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Design
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Detention basins
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).

Disinfection
Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Droughts
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Dynamic programming
Daily Operation of Reservoir Subject to Yearly Probabilistic Constraints. — André Turgeon; 131(5), 342-50 (2005).

Ecology
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Energy consumption
Impacts of Leaks on Energy Consumption in Pumped Systems with Storage. — Andrew F. Colombo and Bryan W. Karney; 131(2), 146-55 (2005).

Estimation
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Evolutionary computation
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).
Water Distribution Systems Connectivity Analysis. — Avi Ostfeld; 131(1), 58-66 (2005).
Optimal Design and Operation of Multiquality Networks under Unsteady Conditions. — Avi Ostfeld; 131(2), 116-24 (2005).
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).

Fish
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).

Fish habitats
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).

Fish management
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).

Floods
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Florida
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Flow control
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Flow rates
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).

Funding allocation
Optimal Maintenance Policy and Fund Allocation in Water Distribution Networks. — Huynh T. Luong and Nagen N. Nagarur; 131(4), 299-306 (2005).

Fuzzy sets
Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Gates
Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Geographic information systems
Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Graphic methods
Water Distribution Systems Connectivity Analysis. — Avi Ostfeld; 131(1), 58-66 (2005).

Ground water
Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

Ground-water management
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).
Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).
Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Ground-water pollution
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).
Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Ground-water treatment
Which Groundwater Remediation Objective is Better: A Realistic One or a Simple One? — Xiaolin Ren and Barbara Minsker; 131(5), 351-61 (2005).

Hybrid methods
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).
Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Hydraulic networks
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Hydraulic structures
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Hydraulic transients
Detection and Location of a Partial Blockage in a Pipeline Using Damping of Fluid Transients. — Xiao-Jian Wang, Martin F. Lambert, and Angus R. Simpson; 131(3), 244-9 (2005).
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).

Hydrologic models
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Idaho
Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

India
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

Infiltration
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Inflow
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Iran
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Italy
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Lakes
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Land management
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).

Leakage
Impacts of Leaks on Energy Consumption in Pumped Systems with Storage. — Andrew F. Colombo and Bryan W. Karney; 131(2), 146-55 (2005).
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Linear programming
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

Markov process
Optimal Maintenance Policy and Fund Allocation in Water Distribution Networks. — Huynh T. Luong and Nagen N. Nagarur; 131(4), 299-306 (2005).

Models
Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Monitoring
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).

Monte Carlo method
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).

Multiple objective analysis
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Municipal water
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Netherlands
Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).

Network analysis
Water Distribution Systems Connectivity Analysis. — Avi Ostfeld; 131(1), 58-66 (2005).
Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Network design
Optimal Design and Operation of Multiquality Networks under Unsteady Conditions. — Avi Ostfeld; 131(2), 116-24 (2005).

Neural networks
Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).
Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).

Nitrification
Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Numerical models
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).

Operation
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).

Optimization
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).
Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).
Optimal Design and Operation of Multiquality Networks under Unsteady Conditions. — Avi Ostfeld; 131(2), 116-24 (2005).
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).
Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).
Optimal Maintenance Policy and Fund Allocation in Water Distribution Networks. — Huynh T. Luong and Nagen N. Nagarur; 131(4), 299-306 (2005).
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Optimization models
Self-Adaptive Penalty Approach Compared with Other Constraint-Handling Techniques for Pipeline Optimization. — Z. Y. Wu and T. Walski; 131(3), 181-92 (2005).
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).
Daily Operation of Reservoir Subject to Yearly Probabilistic Constraints. — André Turgeon; 131(5), 342-50 (2005).
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Oregon
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).

Parameters
Which Groundwater Remediation Objective is Better: A Realistic One or a Simple One? — Xiaolin Ren and Barbara Minsker; 131(5), 351-61 (2005).

pH
Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Pipe networks
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Pipelines
Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Pipes
Detection and Location of a Partial Blockage in a Pipeline Using Damping of Fluid Transients. — Xiao-Jian Wang, Martin F. Lambert, and Angus R. Simpson; 131(3), 244-9 (2005).

Planning
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Pollutants
Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Pollution control
Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Pollution sources
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

Potable water
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).

Probabilistic models
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).

Probability
Daily Operation of Reservoir Subject to Yearly Probabilistic Constraints. — André Turgeon; 131(5), 342-50 (2005).

Probability distribution
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).

Pumped storage
Impacts of Leaks on Energy Consumption in Pumped Systems with Storage. — Andrew F. Colombo and Bryan W. Karney; 131(2), 146-55 (2005).

Pumping
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).

Rainfall
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Rangeland
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Rehabilitation
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).

Reliability analysis
Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).

Remedial action
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).

Reservoir operation
Daily Operation of Reservoir Subject to Yearly Probabilistic Constraints. — André Turgeon; 131(5), 342-50 (2005).
Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Reservoirs
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Restoration
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Risk analysis
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).

Risk management
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).
Daily Operation of Reservoir Subject to Yearly Probabilistic Constraints. — André Turgeon; 131(5), 342-50 (2005).
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

River basin development
Texas Water Availability Modeling System. — Ralph A. Wurbs; 131(4), 270-9 (2005).

River basins
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

River systems
Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).
Texas Water Availability Modeling System. — Ralph A. Wurbs; 131(4), 270-9 (2005).

Runoff
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Salt water intrusion
Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Security
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).

Sensitivity analysis
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Sensors
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Simulation
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).

Simulation models
Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).
Texas Water Availability Modeling System. — Ralph A. Wurbs; 131(4), 270-9 (2005).
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).

Spatial distribution
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).

Stochastic models
Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).

Storage facilities
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).

Storm runoff
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).

Stormwater management
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Streamflow
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Surface waters
Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

Sustainable development
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Temperature
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).

Terrorism
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).

Texas
Texas Water Availability Modeling System. — Ralph A. Wurbs; 131(4), 270-9 (2005).

Uncertainty analysis
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).
Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).

Uncertainty principles
Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Urban areas
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Urban runoff
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).

Wasteload allocation
Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).

Water demand
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Water distribution
Water Distribution Systems Connectivity Analysis. — Avi Ostfeld; 131(1), 58-66 (2005).
Optimal Design and Operation of Multiquality Networks under Unsteady Conditions. — Avi Ostfeld; 131(2), 116-24 (2005).
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).
Impacts of Leaks on Energy Consumption in Pumped Systems with Storage. — Andrew F. Colombo and Bryan W. Karney; 131(2), 146-55 (2005).
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).

Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).
Self-Adaptive Penalty Approach Compared with Other Constraint-Handling Techniques for Pipeline Optimization. — Z. Y. Wu and T. Walski; 131(3), 181-92 (2005).
Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).

Water distribution systems

Optimal Maintenance Policy and Fund Allocation in Water Distribution Networks. — Huynh T. Luong and Nagen N. Nagarur; 131(4), 299-306 (2005).
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).
Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Water management

Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).
Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Water meters

Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Water pipelines

Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).
Self-Adaptive Penalty Approach Compared with Other Constraint-Handling Techniques for Pipeline Optimization. — Z. Y. Wu and T. Walski; 131(3), 181-92 (2005).
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).
Detection and Location of a Partial Blockage in a Pipeline Using Damping of Fluid Transients. — Xiao-Jian Wang, Martin F. Lambert, and Angus R. Simpson; 131(3), 244-9 (2005).
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Water policy

Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).

Water pollution

Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

Water pressure

Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Water quality

Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).
Optimal Design and Operation of Multiquality Networks under Unsteady Conditions. — Avi Ostfeld; 131(2), 116-24 (2005).
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (2005).
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Water resources

Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Water resources management

Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).
Which Groundwater Remediation Objective is Better: A Realistic One or a Simple One? — Xiaolin Ren and Barbara Minsker; 131(5), 351-61 (2005).
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Water rights

Texas Water Availability Modeling System. — Ralph A. Wurbs; 131(4), 270-9 (2005).

Water storage

Impacts of Leaks on Energy Consumption in Pumped Systems with Storage. — Andrew F. Colombo and Bryan W. Karney; 131(2), 146-55 (2005).

Water supply

Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Water tanks

Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Water treatment

Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).

Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Water use

Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Watershed management

Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Zoning

Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

Author Index

Abrishamchi, Ahmad
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Adams, Barry J.
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).

Almandoz, Javier
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Arregui, Francisco
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Babayan, Artem
Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Bartlett, Roscoe A.
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

Berry, Jonathan W.
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Biegler, Lorenz T.
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

Bode, Dennis
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Broad, D. R.
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).

Broad, Kenneth
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Buchberger, Steven G.
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).

Butler, David
Closure to "Use of Flow Meters for Managing Water Supply Networks" by Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 131(6), 478-9 (2005).

Cabrera, Enrique, Jr.
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).
Discussion of "Use of Flow Meters for Managing Water Supply Networks" by Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham. — Enrique Cabrera, Vicente Juan García, and Enrique Cabrera, Jr.; 131(6), 477-8 (2005).

Cabrera, Enrique
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).
Discussion of "Use of Flow Meters for Managing Water Supply Networks" by Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham. — Enrique Cabrera, Vicente Juan García, and Enrique Cabrera, Jr.; 131(6), 477-8 (2005).

Cai, Ximing
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Campbell, Sharon G.
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).

Cancelliere, Antonino
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Chan Hilton, Amy B.
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).

Chen, Jieyun
Urban Storm Water Control Evaluation with Analytical Probabilistic Models. — Jieyun Chen and Barry J. Adams; 131(5), 362-74 (2005).

Chittaladakorn, S.
Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Clark, Robert M.
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).

Clark, Thayne
Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Cobacho, Ricardo
Leakage Assessment through Water Distribution Network Simulation. — Javier Almandoz, Enrique Cabrera, Francisco Arregui, Enrique Cabrera, Jr., and Ricardo Cobacho; 131(6), 458-66 (2005).

Colombo, Andrew F.
Impacts of Leaks on Energy Consumption in Pumped Systems with Storage. — Andrew F. Colombo and Bryan W. Karney; 131(2), 146-55 (2005).

Cooper, J. Arlin
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).

Cosgrove, Donna M.
Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

Culver, Teresa B.
Groundwater Remediation Design under Uncertainty Using Genetic Algorithms. — Amy B. Chan Hilton and Teresa B. Culver; 131(1), 25-34 (2005).

Dandy, G. C.
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).

Devi, Sunita
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

Dibike, Yonas B.
Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).

Dustin, Dony
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Ebrahimian, Ali
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Eheart, J. Wayland
Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).

Espinoza, Felipe P.
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).

Farmani, Raziyeh
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).

Fleischer, Lisa
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Flug, Marshall
Drought Allocations Using the Systems Impact Assessment Model: Klamath River. — Marshall Flug and Sharon G. Campbell; 131(2), 110-5 (2005).

Fu, Chongjin
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Galloway, Gerald E.
2004 Julian Hinds Water Resources Development Award Lecture. — Gerald E. Galloway; 131(4), 251-2 (2005).

García, Vicente Juan
Discussion of "Use of Flow Meters for Managing Water Supply Networks" by Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham. — Enrique Cabrera, Vicente Juan García, and Enrique Cabrera, Jr.; 131(6), 477-8 (2005).

Geng, Leihua
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Giuliano, Giuseppe
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Goldberg, David E.
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).

Goodwin, R. Andrew
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).

Graham, Nigel J. D.
Closure to "Use of Flow Meters for Managing Water Supply Networks" by Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 131(6), 478-9 (2005).

Grayman, Walter M.
Incorporating Uncertainty and Variability in Engineering Analysis. — Walter M. Grayman; 131(3), 158-60 (2005).

Hart, William E.
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Haught, Roy C.
Characterizing Pipe Wall Demand: Implications for Water Quality Modeling. — Robert M. Clark and Roy C. Haught; 131(3), 208-17 (2005).

Heaney, James P.
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).

Huang, Xin (Cindy)
Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Janković-Nišić, Bojana
Closure to "Use of Flow Meters for Managing Water Supply Networks" by Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 131(6), 478-9 (2005).

Johnson, Gary S.
Aquifer Management Zones Based on Simulated Surface-Water Response Functions. — Donna M. Cosgrove and Gary S. Johnson; 131(2), 89-100 (2005).

Johnson, Theodore A.
Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Kapelan, Zoran
Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Karney, Bryan W.
Impacts of Leaks on Energy Consumption in Pumped Systems with Storage. — Andrew F. Colombo and Bryan W. Karney; 131(2), 146-55 (2005).

Labadie, John W.
Closure to "Optimal Operation of Multireservoir Systems: State-of-the-Art Review" by John W. Labadie. — John W. Labadie; 131(5), 407-8 (2005).

Lai, Fu-hsiung
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).

Laird, Carl D.
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

Lal, Wasantha
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Lambert, Martin
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).

Lambert, Martin F.
Detection and Location of a Partial Blockage in a Pipeline Using Damping of Fluid Transients. — Xiao-Jian Wang, Martin F. Lambert, and Angus R. Simpson; 131(3), 244-9 (T) (2005).

Lee, Joong Gwang
Optimization of Integrated Urban Wet-Weather Control Strategies. — Joong Gwang Lee, James P. Heaney, and Fu-hsiung Lai; 131(4), 307-15 (2005).

Letson, David
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Limbrunner, James F.
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Liu, Heng
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).

Llamas, M. R.
Intensive Groundwater Use: Silent Revolution and Potential Source of Social Conflicts. — M. R. Llamas and P. Martínez-Santos; 131(5), 337-41 (2005).

Lobbrecht, Arnold H.
Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).

Loucks, Daniel P.
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).

Luettinger, Jason
Geographic Information System-based Pipeline Route Selection Process. — Jason Luettinger and Thayne Clark; 131(3), 193-200 (2005).

Lund, Jay R.
Discussion of "Optimal Operation of Multireservoir Systems: State-of-the-Art Review" by John W. Labadie. — Jay R. Lund; 131(5), 406-7 (2005).

Luong, Huynh T.
Optimal Maintenance Policy and Fund Allocation in Water Distribution Networks. — Huynh T. Luong and Nagen N. Nagarur; 131(4), 299-306 (2005).

Mahinthakumar, G. (Kumar)
Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Maier, H. R.
Water Distribution System Optimization Using Metamodels. — D. R. Broad, G. C. Dandy, and H. R. Maier; 131(3), 172-80 (2005).

Maksimović, Čedo
Closure to "Use of Flow Meters for Managing Water Supply Networks" by Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 131(6), 478-9 (2005).

Mariño, Miguel A.
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Martínez-Santos, P.
Intensive Groundwater Use: Silent Revolution and Potential Source of Social Conflicts. — M. R. Llamas and P. Martínez-Santos; 131(5), 337-41 (2005).

Matalas, Nicholas C.
Acts of Nature and Potential Acts of Terrorists: Contrast Relative to Water Resource Systems. — Nicholas C. Matalas; 131(2), 79-80 (2005).

McKinney, Daene
EDITOR'S NOTE. — Daene McKinney; 131(3), 157 (2005).

Merkley, G. P.
Classifier System for Rule-Based Operation of Canal Gates. — S. Chittaladakorn and G. P. Merkley; 131(1), 3-13 (2005).

Minsker, Barbara
Which Groundwater Remediation Objective is Better: A Realistic One or a Simple One? — Xiaolin Ren and Barbara Minsker; 131(5), 351-61 (2005).

Minsker, Barbara S.
Adaptive Hybrid Genetic Algorithm for Groundwater Remediation Design. — Felipe P. Espinoza, Barbara S. Minsker, and David E. Goldberg; 131(1), 14-24 (2005).

Miralles-Wilhelm, Fernando
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Misiunas, Dalius
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).

Mohan, C.
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

Muleta, Misgana K.
Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Nagarur, Nagen N.
Optimal Maintenance Policy and Fund Allocation in Water Distribution Networks. — Huynh T. Luong and Nagen N. Nagarur; 131(4), 299-306 (2005).

Nandalal, K. D. W.
Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Nestler, John M.
Coupling of Engineering and Biological Models for Ecosystem Analysis. — John M. Nestler, R. Andrew Goodwin, and Daniel P. Loucks; 131(2), 101-9 (2005).

Ng, Tze Ling
Effects of Discharge Permit Trading on Water Quality Reliability. — Tze Ling Ng and J. Wayland Eheart; 131(2), 81-8 (2005).

Nicklow, John W.
Decision Support for Watershed Management Using Evolutionary Algorithms. — Misgana K. Muleta and John W. Nicklow; 131(1), 35-44 (2005).

Nilsson, Kenneth A.
Simulating Exposures to Deliberate Intrusions into Water Distribution Systems. — Kenneth A. Nilsson, Steven G. Buchberger, and Robert M. Clark; 131(3), 228-36 (2005).

Obeysekera, Jayantha
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Olsson, Gustaf
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).

Ostfeld, Avi
Water Distribution Systems Connectivity Analysis. — Avi Ostfeld; 131(1), 58-66 (2005).
Optimal Design and Operation of Multiquality Networks under Unsteady Conditions. — Avi Ostfeld; 131(2), 116-24 (2005).
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (T) (2005).

Park, Joseph
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Peralta, Richard C.
Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).

Perez-Pedini, Cristina
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Phillips, Cynthia A.
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Pineda, Andy
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Podestá, Guillermo
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Rajasekaram, Veerakcuddy
Decision Support System for Reservoir Water Management Conflict Resolution. — Veerakcuddy Rajasekaram and K. D. W. Nandalal; 131(6), 410-9 (2005).

Ranjithan, S. Ranji
Role of Evolutionary Computation in Environmental and Water Resources Systems Analysis. — S. Ranji Ranjithan; 131(1), 1-2 (2005).

Reichard, Eric G.
Assessment of Regional Management Strategies for Controlling Seawater Intrusion. — Eric G. Reichard and Theodore A. Johnson; 131(4), 280-91 (2005).

Ren, Xiaolin
Which Groundwater Remediation Objective is Better: A Realistic One or a Simple One? — Xiaolin Ren and Barbara Minsker; 131(5), 351-61 (2005).

Rossi, Giuseppe
Case Study: Multicriteria Assessment of Drought Mitigation Measures. — Giuseppe Rossi, Antonino Cancelliere, and Giuseppe Giuliano; 131(6), 449-57 (2005).

Salas, Jose D.
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Salomons, Elad
Securing Water Distribution Systems Using Online Contamination Monitoring. — Avi Ostfeld and Elad Salomons; 131(5), 402-5 (T) (2005).

Savic, D. A.
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Savic, Dragan
Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Savic, Dragan A.
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).

Sayeed, Mohamed
Hybrid Genetic Algorithm—Local Search Methods for Solving Groundwater Source Identification Inverse Problems. — G. (Kumar) Mahinthakumar and Mohamed Sayeed; 131(1), 45-57 (2005).

Shieh, Horng-Jer
Optimal In Situ Bioremediation Design by Hybrid Genetic Algorithm-Simulated Annealing. — Horng-Jer Shieh and Richard C. Peralta; 131(1), 67-78 (2005).

Silva, Consuelo J.
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).

Simpson, Angus
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).

Simpson, Angus R.
Detection and Location of a Partial Blockage in a Pipeline Using Damping of Fluid Transients. — Xiao-Jian Wang, Martin F. Lambert, and Angus R. Simpson; 131(3), 244-9 (T) (2005).

Solomatine, Dimitri P.
Neural Networks and Fuzzy Systems in Model Based Control of the Overwaard Polder. — Arnold H. Lobbrecht, Yonas B. Dibike, and Dimitri P. Solomatine; 131(2), 135-45 (2005).

Srivastava, D. K.
Optimal Water Allocation for the Transboundary Subernarekha River, India. — Sunita Devi, D. K. Srivastava, and C. Mohan; 131(4), 253-69 (2005).

Sung, Windsor
Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Tajrishi, Massoud
Case Study: Application of Multicriteria Decision Making to Urban Water Supply. — Ahmad Abrishamchi, Ali Ebrahimian, Massoud Tajrishi, and Miguel A. Mariño; 131(4), 326-35 (2005).

Tidwell, Vincent C.
Threat Assessment of Water Supply Systems Using Markov Latent Effects Modeling. — Vincent C. Tidwell, J. Arlin Cooper, and Consuelo J. Silva; 131(3), 218-27 (2005).

Trimble, Paul J.
Climate-Based Estimation of Hydrologic Inflow into Lake Okeechobee, Florida. — Fernando Miralles-Wilhelm, Paul J. Trimble, Guillermo Podestá, David Letson, and Kenneth Broad; 131(5), 394-401 (2005).

Tsai, Frank T.-C.
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Tu, Ming-Yen
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Turgeon, André
Daily Operation of Reservoir Subject to Yearly Probabilistic Constraints. — André Turgeon; 131(5), 342-50 (2005).

Vamvakeridou-Lyroudia, L. S.
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

van Bloemen Waanders, Bart G.
Contamination Source Determination for Water Networks. — Carl D. Laird, Lorenz T. Biegler, Bart G. van Bloemen Waanders, and Roscoe A. Bartlett; 131(2), 125-34 (2005).

VanZee, Randy
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Vincent, Esther
Characterizing the Severity and Risk of Drought in the Poudre River, Colorado. — Jose D. Salas, Chongjin Fu, Antonino Cancelliere, Dony Dustin, Dennis Bode, Andy Pineda, and Esther Vincent; 131(5), 383-93 (2005).

Vítkovský, John
Pipeline Break Detection Using Pressure Transient Monitoring. — Dalius Misiunas, John Vítkovský, Gustaf Olsson, Angus Simpson, and Martin Lambert; 131(4), 316-25 (2005).

Vogel, Richard M.
Optimal Location of Infiltration-Based Best Management Practices for Storm Water Management. — Cristina Perez-Pedini, James F. Limbrunner, and Richard M. Vogel; 131(6), 441-8 (2005).

Walski, T.
Self-Adaptive Penalty Approach Compared with Other Constraint-Handling Techniques for Pipeline Optimization. — Z. Y. Wu and T. Walski; 131(3), 181-92 (2005).

Walski, Thomas
Who Pays for Water Security? — Thomas Walski; 131(6), 409 (2005).

Walters, G. A.
Fuzzy Multiobjective Optimization of Water Distribution Networks. — L. S. Vamvakeridou-Lyroudia, G. A. Walters, and D. A. Savic; 131(6), 467-76 (2005).

Walters, Godfrey
Least-Cost Design of Water Distribution Networks under Demand Uncertainty. — Artem Babayan, Zoran Kapelan, Dragan Savic, and Godfrey Walters; 131(5), 375-82 (2005).

Walters, Godfrey A.
Trade-off between Total Cost and Reliability for Anytown Water Distribution Network. — Raziyeh Farmani, Godfrey A. Walters, and Dragan A. Savic; 131(3), 161-71 (2005).

Wang, Xiao-Jian
Detection and Location of a Partial Blockage in a Pipeline Using Damping of Fluid Transients. — Xiao-Jian Wang, Martin F. Lambert, and Angus R. Simpson; 131(3), 244-9 (T) (2005).

Watson, Jean-Paul
Sensor Placement in Municipal Water Networks. — Jonathan W. Berry, Lisa Fleischer, William E. Hart, Cynthia A. Phillips, and Jean-Paul Watson; 131(3), 237-43 (2005).

Wei, Irvine W.
Treatment and Distribution System Effects on Chloramine Decay, pH, Nitrification, and Disinfection By-Products: Case Study. — Windsor Sung, Xin (Cindy) Huang, and Irvine W. Wei; 131(3), 201-7 (2005).

Welter, David
Sigmoidal Activation of Proportional Integral Control Applied to Water Management. — Joseph Park, Randy VanZee, Wasantha Lal, David Welter, and Jayantha Obeysekera; 131(4), 292-8 (2005).

Wu, Z. Y.
Self-Adaptive Penalty Approach Compared with Other Constraint-Handling Techniques for Pipeline Optimization. — Z. Y. Wu and T. Walski; 131(3), 181-92 (2005).

Wurbs, Ralph A.
Texas Water Availability Modeling System. — Ralph A. Wurbs; 131(4), 270-9 (2005).

Yeh, William W.-G.
Optimization of Water Distribution and Water Quality by Hybrid Genetic Algorithm. — Ming-Yen Tu, Frank T.-C. Tsai, and William W.-G. Yeh; 131(6), 431-40 (2005).

Zhong, Huaping
Restoration of Pastureland Ecosystems: Case Study of Western Inner Mongolia. — Heng Liu, Ximing Cai, Leihua Geng, and Huaping Zhong; 131(6), 420-30 (2005).